


Fig. 3






FIG 4





FIG 9. 5A

150



FT6.5B






FIG 5C



09806169 09806041



LEVEL SENSE/VOLUME ADJUST DETAILS




FIG. 7A





FIG. 8A






Figure 8B




Figure 8c







FIG. 8D

FIG. 9.










FIG. 10






FIG. 11




PREFILLED DISPENSER

FIG. 12A



CUSTOMER FILLED DISPENSER
WITH FLIP TOP

FIG. 12B



PREFILLED DISPENSER
(COMPRESSED)

12C




FIG. 13B







FIG. 13C






EXPLODED VIEW OF PARTS

FIG. 14A




EXPLODED VIEW OF PARTS

FIG. 14B



FILLED DISPENSER


FIG. 15A





**CUSTOMER FILLED DISPENSER
WITH FLIP TOP**

FIG. 15B

FIG 15C








FIG. 16 C




FIG. 160






FIG. 11E





17 B

TOP SEAL 420A




FIG. 17C




FIG. 18A




FIG 18B




FIG. 19 A





FIG 19B




FIG 21<





FIG 21D



SECTION A-A






FIG 21E

FIG 21A

NOTE: [1] NO MOLD LINES OR PARTING LINES ALLOWED ON THE R.010 AT THE #122. THIS SEAL SURFACE TO HAVE 16 MICRO IN SURFACE FINISH.



FT 6. 22








FIG 24





(E1)




FIG. 25





FIG. 26







FIG. 27



Input the recipes and protocols for the slides for 695

696

Host Device polls operator whether there is buffer, coverslip™, space in waste tub. Host device also polls whether reagents are loaded and the number of slides

Download file of steps to read barcode on slides and to wait for host to retrieve barcode


697

read barcode on slide

698


Store in file


699





Download file of steps to read barcode on dispenses and wait for host to retrieve barcode
Download run rules


704














FIG. 29

